





100% INFILTRATION

High infiltration capacity & water storage of 100 l/m²

Absorption of heavy precipitation without additional drainage

Low structure

thickness

INTELLIGENT LOAD DISTRIBUTION

Approx. 50% reduction in substructure due to interlocking connection system

Protection of the soil from compaction & reservation of the seepage capacity

EVENNESS

Permanently level areas & minimal maintenance effort



TTE® GRAVEL

Potholes. Puddles. Trip hazards. A typical picture on gravel and crushed stone surfaces that is finally a thing of the past with TTE® GRAVEL.



Carbon neutrally produced from 100% recycled post-consumer plastics



Material harmless to water and environment



Positive influence on the urban climate - prevention of heat islands



100% infiltration through open joints and drainage channels



Durable evenness due to stable, reinforcing grids



Flexible combination of greened, paved or mineral surfaces











YOUR CONTRIBUTION TO CLIMATE PROTECTION

... using 1,000 m² of TTE® fastening as an example

64,010

This is how many kg of CO₂ equivalent you avoid compared to waste incineration.

13,590

Accordingly, so many bags of plastic wase are recycled for your project.

168,986

The amount of CO₂ avoided corresponds to a flight of this length (km).







HÜBNER-LEE GmbH & Co. KG, Gewerbestr. 1, D-87752 Holzgünz Tel.: +49 (0)8393 / 9229-0, Fax: -22, info@huebner-lee.eu, www.huebner-lee.de/en









